Weekly Results: Nov 06 - Nov 11, 2023

Total Samples = 214



 Down (Opioids) & Sedatives, 113 samples Down (Opioids) & Sedatives, 113 samples Down (Opioids) - 96 samples G as apples contained fertanty 4 ta median concentration of 13.2% (concentrations ranged from Less than 0.1% to greater than 80%) 70 samples contained fluorofnetanyl at a median concentration of 7.6% (concentrations ranged from 0.4% to greater than 80%) 2 sample contained xylazine at concentration of 0.3% and 2.2% 9 samples contained xylazine at concentration of 0.3% and 2.2% 9 samples contained xylazine at concentration of 6.7% (concentrations ranged from 16.7% (concentrations of 6.7% (concentrations of 6.7% (concentration of 6.7% (concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained flubromazepan at median concentration of 1.1% Berzodiazepine 4 samples contained flubromazepan at median concentration of 1.1% Berzodiazepine 1 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, instead of methyl methaqualone base inste	<u>10tal 3ampies – 214</u>	Defance.uvlc.
 68 samples contained fentanyl at a median concentration of 13.2% (concentrations ranged from 14.5% (concentrations ranged from 0.4% to greater than 40%) 70 samples contained fluorofentanyl at a median concentration of 7.5% (concentrations ranged from 0.4% to greater than 40%) 2 sample contained xylazine at concentrations of 0.3% and 2.2% 0 samples contained drefentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained from less than 0.2% to greater than 25%) 8 samples contained flubromazepam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained flubromazepam at a median concentration of 1.1% Benzodiazepine 1 sample contained flubromazepam at a median concentration of 1.1% Benzodiazepine 1 sample contained flubromazepam at a median concentration of 1.1% Benzodiazepine 1 sample contained flubromazepam at a median concentration of contained flubromazepam at a median concentration or contained detizolam, no cuts detected* 1 sample contained flubrazolam, instead of alprazolam 1 sample contained methaqualone 1 sample contained methaqualone 1 sample contained detizolam, no cuts detected* 1 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected* 1 sample contai	Down (Opioids) & Sedatives, 113 samples	
 concentration of 13.2% (concentrations ranged from Less than 0.1% to greater than 80%) 7 asamples contained fluorofentanyl at a median concentration of 7.6% (concentrations of 0.3% and 2.2% a sample contained arylazine at concentrations of 0.3% and 2.2% a samples contained arylazine at concentrations of 0.3% and 2.2% a samples contained carfentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained from Less than 0.2% to greater than 25%) 8 samples contained from Less than 0.2% to greater than 25%) 8 samples contained from Less than 0.2% to greater than 25%) 8 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, no cuts detected* 1 sample contained detioned promazolam and fentanyto an analogue Depressants - Other - 9 samples 4 samples contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample scontained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample scontained GHB, no cuts detected 2 samples contained drime		
 from Less than 0.1% to greater than 80%) 70 samples contained fluorofentanyl at a median concentration of 7.6% (concentrations of 0.3% and 2.2% 2 sample contained xylazine at concentrations of 0.3% and 2.2% 2 samples contained dream at a median concentration of 6.7% (concentrations ranged from Less than 0.2% to greater than 25%) 8 samples contained fluoromazepam at a median concentration of 5.1% 8 samples contained fluoromazepam at a median concentration of 1.1% Psychedelics - 23 samples 8 sample contained fluolprazolam, instead of alprazolam 1 sample contained fluolprazolam, instead of alprazolam 1 sample contained fluolprazolam, instead of alprazolam 1 sample contained fluolprazolam, no cuts detected* 1 sample contained fluolprazolam, no cuts detected* 1 sample contained fluolprazolam, no cuts detected* 1 sample contained fluolprazolam, analogue Depressants - Other - 9 samples 4 samples contained GHB, no cuts detected* 1 sample contained drube contain SL-164 could not be identified 1 sample contained	 68 samples contained fentanyl at a median 	 22 samples contained cocaine, no cuts detected*
 70 samples contained fluorofentanyl at a median concentration of 7.6% (concentrations of 0.3% and 2.2% 0 samples contained crafentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained from less than 0.2% (concentrations ranged from less than 0.2% (concentration of 6.7% (concentration of 6.7% (concentration of 6.7% (concentration of 6.7% (concentration of 1.7% Benzodiazepine 4 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples contained fluoromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples contained fluatprazotam, instead of alprazotam 1 sample contained trilmazafone, no cuts detected* 1 sample contained trilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 3 samples contained GHB, no cuts detected* 4 samples contained Operend Sumples 3 samples contained GHB, no cuts detect		• 1 sample contained cocaine cut with phenacetin
 1 sample contained crack, cit with tevanisole Methampetamine - 3 samples 2 samples contained xylazine at concentrations of 0.3% and 2.2% 0 samples contained crafentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained flubromazepan at a median concentration of 1.1% Benzodiazepine 4 sample contained flubromazepam at a median concentration of 1.1% Benzodiazepine 1 sample contained flualprazolam, instead of alprazolam 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained bromazolam and fentanyl of an analogue Depressants - Other - 9 samples 4 samples contained GBB, no cuts detected⁴ 1 sample contained GBB, no cuts detected⁴ 1 sample contained GBB, no cuts detected⁴ 2 samples contained GBB, no cuts detected⁴ 1 sample expected to contain 5L-164 could not be identified 2 coas 8, kincling, 80 methane, with feat and the samples subtaince with ceal statemethy with devalume to a subtaince with ceal statemethy in the samples subtaince with ceal statemethy in the sampl		 9 samples contained crack, no cuts detected*
 ranged from 0.4% to greater than 40%) 2 sample contained xylazine at concentrations of 0.3% and 2.2% 0 samples contained carfentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained fubromazepam at a median concentration of 1.1% Benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained flubromazepam at a median concentration of 1.1% Benzodiazepine 1 sample contained flubromazepam at a diprazolam 1 sample contained fluatprazolam, instead of alprazolam 1 sample contained fluatprazolam, instead of alprazolam 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained drimazafone, no cuts detected* 1 sample contained drimazafone, no cuts detected* 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample contained oxycodone, no cuts 4 samples contained dxB, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 2 samples contained wetware than expected and it as felt tike a benzo was present. Bought north of Domtworn. Where ta Find Us: Wetward and farzaneutivic allog down endition to be identified 3 samples contained GHB, no cuts detected 4 samples contained oxycodone, no cuts 	• • •	• 1 sample contained crack, cut with levamisole
 2 samples contained xylazine at concentrations of 0.3% and 2.2% 0 samples contained carfentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained from less than 0.2% to greater than 25%) 8 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained frimazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained detaglapapentin, no cuts detected* 1 sample contained GHB, no cuts detected 1 sample sontained GHB, no cuts detected 1 sample sontained GHB, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample sontained GHB, no cuts detected 2 samples contained GHB, no cuts detected 3 samples contained MCBH, no cuts detected 3 samples contained GHB, no cuts detected and it also fell tike a benzo was present. Bought north of Downtown. Where to find Way - Saturday, 12 - 7PM Substance wince and thaso fell tike a benzo was present. Bought north of Downtown.<		Methamphetamine - 3 samples
 1 sample contained carfentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained flualprazolam, instead of alprazolam 1 sample contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 1 sample sontained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 1 sample contained GHB, no cuts detected* 1 sample sontained GHB, no cuts detected* 1 sample sontained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 1 sample sontained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 3 samples contained GHB, no cuts detected* 4 samples contained oxycodone, no cuts 		 2 samples contained meth, no cuts detected
 O samples contained carfentanil 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepine 4 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained teizolam, no cuts detected* 1 sample contained teizolam, no cuts detected* 1 sample contained relizolam, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 3 sample contained GHB, no cuts detected* 4 samples contained oxycodone, no cuts 		
 46% (44/96) of down samples contained a benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained an undifferentiated benzodiazepine 8 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained teizolam, no cuts detected* 1 sample contained bromazolam and fentanyl of an analogue Depressants - Other - 9 samples 4 samples contained gabapentin, no cuts detected* 1 sample contained gabapentin, no cuts detected* 2 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 2 samples contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 2 samples contained GHB, no cuts detected 3 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 2 samples contained GHB, no cuts detected 4 samples contained of AGHB, no cuts detected 4 samples contained GHB, no cuts detected 4 samples contained oxycodone, no cuts 	 0 samples contained carfentanil 	-
 benzodiazepine 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, no cuts detected* 1 sample contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 1 sample contained GHB, no cuts detected 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Down: Big reddish brown chunks. When cooked, congealed quickly. When smoked, produced a golden resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to find Us: Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Saturday 12 - 7PM G Stubance. Wice Cableg Monday - Satu	 46% (44/96) of down samples contained a 	·
 34 samples contained bromazolam at a median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flubprazolam, instead of alprazolam 1 sample contained detizolam, no cuts detected* 1 sample contained rilmazafone, no cuts detected* 1 sample contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 sample scontained GHB, no cuts detected* 2 sample scontained GHB, no cuts detected* 2 sample scontained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 3 samples contained GHB, no cuts detected* 4 samples contained divered dutica tutoca	benzodiazepine	
 median concentration of 6.7% (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained tizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained methaqualone be identified 1 sample contained methaqualone detected* 2 samples contained GHB, no cuts detected* 2 sample contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 2 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 4 samples contained GHB, was cuts detected 1 sample expected to contain 5L-164 could not be identified Where to Find Us: Where to Find Us: Where no cuts detected, this does nontained were are present. Bought north of Downtown. Where to Find Us: Where no cuts detected, this does nontained were are present. Bought north of Owntown. Where to Find Us: Where no cuts detected, this does non many twee detected, the does non many twee detected the samples were detected. 	 34 samples contained bromazolam at a 	
 (concentrations ranged from less than 0.2% to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained tizolam, no cuts detected* 1 sample contained trilmazafone, no cuts detected* 1 sample contained rilmazafone, no cuts detected* 1 sample contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 2 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 4 samples contained GHB, no cuts detected* 4 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 	median concentration of 6.7%	· · ·
 to greater than 25%) 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained tizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 1 sample contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample expected to contain 5L-164 could not be identified 1 sample sontained oxycodone, no cuts 4 samples contained oxycodone, no cuts 4 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample expected to contain 4LSZ could a golder resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to Find Us: Substance.uvic.ca 4 samples contained oxycodone, no cuts 	(concentrations ranged from less than 0.2%	
 8 samples contained an undifferentiated benzodiazepine 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained teizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 1 sample contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Down: Big reddish brown chunks. When cocked, congealed quickly. When smoked, produced a golden resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to Find Us: a substance.uvic.cablog Moday Saturday 12-7PM Of Watcharden StanceUVIC While to cuts were detected, this does not mean these samples were than expected were as expected. 	to greater than 25%)	
 A samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained etizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Dissociatives - 3 samples a sample scontained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Down: Big reddish brown chunks. When cooked, congealed quickly. When smoked, produced a golden resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to Find Us: Budstance.uvic.ca/blog Monday - Saturday 12 - 7PM Centropic of the cuts were detected this does not mean these samples were detected to the detecte		· · · · · · · · · · · · · · · · · · ·
 4 samples contained flubromazepam at a median concentration of 1.1% Benzodiazepines - 4 samples 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained etizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 2 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts Where to Find Us: substance.uvic.ca 1802 Cook St, Victoria, BC Statance.uvic.ca 1802 Cook St, Vi	benzodiazepine	
 median contentation of 1.1.9% median contained bromazolam in addition to alprazolam a sample contained flualprazolam, instead of alprazolam a sample contained etizolam, no cuts detected* a sample contained rilmazafone, no cuts detected* a sample contained methaqualone base instead of methylmethaqualone a sample contained GHB, no cuts detected a sample expected to contain 5L-164 could not be identified Dissociatives - 3 samples a sample contained GHB, no cuts detected a sample expected to contain 5L-164 could not be identified Dissociatives - 3 samples b samples contained GHB, no cuts detected a sample expected to contain 5L-164 could not be identified Dissociatives - 3 samples b samples contained GHB, no cuts detected company lexical galapapentin, no cuts detected a sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 		
 1 sample contained bromazolam in addition to alprazolam 1 sample contained flualprazolam, instead of alprazolam 1 sample contained etizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 1 sample contained oxycodone, no cuts 		
 of 2C-B <		
 1 sample contained flualprazolam, instead of alprazolam 1 sample contained etizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample expected to contain 5L-164 could not be identified 1 sample scontained oxycodone, no cuts 4 samples contained oxycodone, no cuts 		
 be identified be identified contained etizolam, no cuts detected* contained bromazolam and fentanyl or an analogue contained bromazolam and fentanyl or an analogue contained rilmazafone, no cuts detected* contained methaqualone base instead of methylmethaqualone contained gabapentin, no cuts detected* contained GHB, no cuts detected congealed quickly. When smoked, produced a golden resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to Find Us: substance.uvic.ca lago Cook St, Victoria, BC Monday- Saturday, 12 - 7PM Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 		• 1 sample expected to contain 1cP-LSD could not
 1 sample contained etizolam, no cuts detected* 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified 1 sample expected to contain 5L-164 could not be identified 1 samples contained oxycodone, no cuts 4 samples contained oxycodone, no cuts 		
 1 sample contained curvetant, no curvetant detected 1 sample contained bromazolam and fentanyl or an analogue Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	-	• 1 sample expected to contain 4-HO-DiPT could
 an analogue <u>Depressants - Other</u> - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified <u>Opioid - Other</u> - 4 samples 4 samples contained oxycodone, no cuts 		
 Depressants - Other - 9 samples 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 		• 1 sample expected to contain LSZ could not be
 4 samples contained rilmazafone, no cuts detected* 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	-	identified
 1 sample contained methaqualone base instead of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 		<u>Dissociatives</u> - 3 samples
 of methylmethaqualone 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts Down: Big reddish brown chunks. When cooked, congealed quickly. When smoked, produced a golden resin. Effects were somewhat weaker than expected and it also felt like a benzo was present. Bought north of Downtown. Where to Find Us: 1802 Cook St, Victoria, BC Monday - Saturday, 12 - 7PM Call or text: 250-415-7637 While no cuts were detected, this does not mean these samples were 	detected*	• 3 samples contained ketamine, no cuts detected*
 1 sample contained gabapentin, no cuts detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	 1 sample contained methaqualone base instead 	
 a sample contained gubapentin, no cuts detected detected* 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	of methylmethaqualone	-
 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	 1 sample contained gabapentin, no cuts 	
 2 samples contained GHB, no cuts detected 1 sample expected to contain 5L-164 could not be identified Opioid - Other - 4 samples 4 samples contained oxycodone, no cuts 	detected*	-
 1 sample expected to contain 5L-164 could not be identified Opioid - Other 4 samples contained oxycodone, no cuts Where to Find Us: Where to Find Us: Substance.uvic.ca Substance.uvic.ca\blog	 2 samples contained GHB, no cuts detected 	
Opioid - Other - 4 samples • 4 samples contained oxycodone, no cuts Monday - Saturday, 12 - 7PM Call or text: 250-415-7637 Image: Call or text: 250-415-7637 • While no cuts were detected, this does not mean these samples were	 1 sample expected to contain 5L-164 could not 	
Opioid - Other - 4 samples • 4 samples contained oxycodone, no cuts Call or text: 250-415-7637 • While no cuts were detected, this does not mean these samples were	be identified	1802 Cook St, Victoria, BC
"num" increase in the second		·····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ····, ···